Horry County Code Enforcement

1301 2nd Ave Suite 1D09 Conway, SC 29526



Phone: (843) 915-5090 (843) 205-5090

Fax: (843) 915-6090

MEMO OF REVIEW FOR CORRECTNESS AND COMPLETION

In Sy ite

ystem	ordance with this com n, all FEMA Elevation which are noted here	munity's partic n Certificates m	ipation in the Na	tional Flood Insura d complete. The att	ince Prograi tached Cert	ificate has some in	correct
				SECTION A - PROP	ERTY INFOIL	MATION	For Insurance Company U
Al.	Building Owner's Name	Caluatr	2. 🔿	SECTION / TROP			Policy Number
	Building Street Address (i	including/Apt., Uni	t, Suite, and/or Bidg.	No Por D. Route and	Box No.		Company NAIC Number
	City State	Terry		I - I Doordation of	2)		
	Property Description (Lot	ファスノロト	110				
A6. A7. A8.	Building Use (e.g., Reside Latitude/Longitude: Lat. Attach at least 2 photogra Building Diagram Numbe For a building with a craw a) Square footage of crab) No. of permanent flowenclosure(s) walls with a craw at the control of the c	phs of the building result of the space or enclosured of openings in the other 1.0 foot above dopenings in A8.b	if the Certificate is b re(s), provide ore(s) crawl space or adjacent grade	isory, etc.) MODIA eing used to obtain floor MW sq ft MM sq in	d insurance. A9. For all a) Sc b) No w2 c) To	building with an attache pare footage of attache c. of permanent flood c alls within 1.0 foot about total net area of flood op	ed garage spenings in the attached garage we adjacent grade penings in A9.b
	d) Engineered flood oper				d) ish	igineered flood opening	s? ☐Yes X No
	TION B - FLOCD INSURA						B3. State
B1.	NFIP Community Name &	ն Community Num	ber	B2. County Name			13. State
В	4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	B7. FIRM Effective/Rev	3	B8. Flood Zone(s)	B9 Base Flood Elevation use base flood d
B12.	Indicate elevation datum u Is the building located in a □Yes □No Designation Date	sed for BFE in Iten Coastat Barrier Re	sources System (CB)	GVD 1929	er (Describe) VD 1988 rotected Area	Other/Source: (OPA)?	
SEC	CTION C - BUILDING ELEV		-				
Finishe *, C2. E C	duilding elevations are based Construction A new Elevatior. Certificat Elevations – Zones A1-A30 Complete Items C2.a-h belo Benchmark Utilized	e will be required v , AE, AH, A (with ow/according to the	BFE), VE, V1-V30, building diagram sp	the building is complete V (with BFE), AR, AR/ ecified in Item A7.	'A, AR/AE, A		□ R/AO.
	ndicate elevation datum (/Source:		itions in items a) th	rough h) below. 🔲 N	IGVD 1929	□ NAVD 1988 □	
COM	MENTS:	NCOMPLE 49 INC	to .		:		
					/ ,	/	
Date -	of Review: 2/2:	1/2015	Com	nmunity Official: 🎢	troold	Bd; €	
411. 1		a magineral unad but b	. somewhat its and so	nies with the attached m	semo made av	dilable upon request.	

#30 Permit #154484 7-1-60
U.S. DEPARTMENT OF HOMELAND SECURITY ELEVATION CERTIFICATE

Federal Emergency Management Agency National Flood in surance Program

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expires March 31, 2012

		SECTION A	PROPERTY INFO	RMATION		For Insurance Company Use:
	Building Owner's Name					Policy Number
<u>~ 14</u> 42., 8	Suited Address (including Apt., Unit, Suite,	and/or Bidg. No.)	or P.O. Route and Bo	x No.		Company NAIC Number
	1958 Genters Island Rd					
C	City		State 5.2		Zi	21544 MK
A3. P	Property Description (Lot and Block Numbers Tex	Parcel Number, L		.7		Mou
	0920001096		In bike	1-200	<u>e</u>	More
14. B	Building Use (e.g., Residential, Non-Residential, Ad	idition, Accessory	, etc.)			7-1-10
	Latitude/Long itude: Lat.	Long			rizontal Dat	um: 🔲 NAD 1927 🔠 NAD 19
	Attach at least 2 photographs of the building if the C Building Diagram Number	certificate is being	used to obtain flood ii	nsurance.		
18. F	For a building with a clawispace or enclosure(s):		A9. For	r a building wit	h an attach	ed garage:
	a) Square footage of crawispace or enclosure(s)		• '	Square footag	-	
ь	 No. of permanent flood openings in the crawlep enclosure(s) within 1.0 foot above adjacent grad 		6)	No. of permar within 1.0 foo		penings in the attached garage scent grade
c	c) Total net area of flood openings in A8.b		_sq in c)			enings in A9.bsq in
đ	d) Engineered flood openings? 🗌 Yes 🔲 No	1	d)	Engineered fl	ood openin	gs? Yes No
	SECTION B - F	LOOD INSURA	INCE RATE MAP (F	FIRM) INFOR		
31.04	FIP Community Name & Community Number	B2. Cou	nty Name	· · · ·	В	3. State SC
<u> </u>		14 Index	87. FIRM Panel	20	Flood	B9. Base Flood Elevation(s) (Zo
04. I	Map/Panel Number 85. Suffix 88. FIRI		Effective/Revised Date)e(s)	AO, use base flood depth)
'5T	7516030H H 19-17	V3 G	-23-59	\bot F	+	unum
0. k	Indicate the source of the Base Flood Elevation (BF	E) data or base t	flood depth entered in I	tem B9.		
		Determined	Other (Describe)		
1. li	Indicate elevation datum used for BFE in Item 89:	M NOVE 4000			acciba)	/
n .		MGAD 1858	NAVD 1988	Other (De	38CHOG)	
	is the building located in a Coastal Barrier Resource		S) area or Otherwise P			Yes Y No
		es System (CBR	_			Yes Y No
	Is the building located in a Coastal Barrier Resourc Designation Date	es System (CBR:	S) area or Otherwise P CBRS OPA	rotected Area	(OPA)?	
	Is the building located in a Coastal Barrier Resource Designation Date	LDING ELEVA	S) area or Otherwise P CBRS OPA	rotected Area N (SURVEY	(OPA)?	D)
1. 8	Is the building located in a Coastal Barrier Resource Designation Date	LDING ELEVAT	S) area or Otherwise P CBRS OPA	rotected Area N (SURVEY	(OPA)?	
B. B.	Is the building located in a Coastal Barrier Resource Designation Date	LDING ELEVAT	S) area or Otherwise PCBRS OPA FION INFORMATIO Building Under building is complete.	N (SURVEY	(OPA)?	D) Finished Construction
Bi A	Is the building located in a Coastal Barrier Resource Designation Date	LDING ELEVA In Drawings* construction of the VE, V1-V30, V (wi	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE). AR, AR/A, AF	N (SURVEY r Construction VAE, AR/A1-A	(OPA)?	D) Finished Construction
Bi A El- be	Is the building located in a Coastal Barrier Resource Designation Date	LDING ELEVA In Drawings* construction of the VE, V1-V30, V (wi	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE). AR, AR/A, AF	N (SURVEY r Construction R/AE, AR/A1-A	(OPA)?	D) Finished Construction
Bi A El- be	Is the building located in a Coastal Barrier Resource Designation Date	LDING ELEVA In Drawings* construction of the VE, V1-V30, V (wi	S) area or Otherwise PCBRS OPA FION INFORMATIO Building Under building is complete. th BFE). AR, AR/A, AF e same datum as the B	N (SURVEY r Construction R/AE, AR/A1-A IFE. atum	REQUIRE	ED) Finished Construction AR/AO. Complete Items C2.a-h
Bi *A Eld be Be	Is the building located in a Coastal Barrier Resource Designation Date. SECTION C - BUILDING	LDING ELEVATION Drawings* construction of the VE, V1-V30, V (willem A7. Use the	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE). AR, AR/A, AF a same datum as the B Vertical Da	N (SURVEY r Construction R/AE, AR/A1-A IFE. aturn Check the	REQUIRE 30, AR/AH	Finished Construction AR/AO. Complete Items C2.a-h
Bit See Co.	Is the building located in a Coastal Barrier Resource Designation Date. SECTION C - Building elevations are based on: A new Elevation Certificate will be required when coalevations - Zones A1-A30, AE, AH, A (with BFE), elew according to the building diagram specified in enchmark Utilized conversion/Comments Top of bottom floor (including basement, crawled)	LDING ELEVATION Drawings* construction of the VE, V1-V30, V (willem A7. Use the	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE). AR, AR/A, AF a same datum as the B Vertical Da	N (SURVEY r Construction VAE, AR/A1-A IFE. aturn Check the	REQUIRE 30, AR/AH.	Finished Construction AR/AO. Complete Items C2.a-h sor-Used. rs (Puerto Rico only)
Bi B	Is the building located in a Coastal Barrier Resource Designation Date. SECTION C - Building elevations are based on: In Construction in the control of the	tes System (CBR: LDING ELEVAT In Drawings* Instruction of the VE, V1-V30, V (willem A7. Use the	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE). AR, AR/A, AF a same datum as the B Vertical Da Te floor)	N (SURVEY r Construction VAE, AR/A1-A IFE. Check the	REQUIRE 30, AR/AH. measurem	Finished Construction AR/AO. Complete Items C2.a-h por Used. rs (Puerto Rico only) rs (Puerto Rico only)
Bi *A El- be Be Ca	Is the building located in a Coastal Barrier Resource Designation Date. SECTION C - Build SECTION C - Building elevations are based on: Construction and Coastal Barrier Resource Devation Certificate will be required when coallevations - Zones A1-A30, AE, AH, A (with BFE), lelow according to the building diagram specified in enchmark Utilized onversion/Comments Top of bottom floor (including basement, crawls top of the next higher floor Bottom of the lowest horizontal structural menutical designation of the lowest horizontal structural designation of the lowest horizontal designati	tes System (CBR: LDING ELEVAT In Drawings* Instruction of the VE, V1-V30, V (willem A7. Use the	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE). AR, AR/A, AF a same datum as the B Vertical Da Te floor)	N (SURVEY r Construction VAE, AR/A1-A IFE. aturn Check the	REQUIRE 30, AR/AH measurem mele mele	Finished Construction AR/AO. Complete Items C2.a-h sor-Used. rs (Puerto Rico only)
Bandan Ba	SECTION C - BUILD SECTION C -	LDING ELEVAT IN Drawings* Instruction of the VE, V1-V30, V (will litem A7. Use the pace, or enclosur over (V Zones only invicing the building which is the pace).	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF same datum as the B Vertical Date e floor)	N (SURVEY r Construction R/AE, AR/A1-A FE. aturn Check the feet feet	REQUIRE 30, AR/AH messurem mete mete	Finished Construction AR/AO. Complete Items C2.a-h portised. rs (Puerto Rico only) rs (Puerto Rico only) rs (Puerto Rico only)
1. Bt *A *A *B	SECTION C - Bull SECTION C - Bull SECTION C - Bull SECTION C - Bull Didging elevations are based on: A new Elevation Certificate will be required when collevations Zones A1-A30, AE, AH, A (with BFE), Velow according to the building diagram specified in enchmark Utilized Conversion/Comments Top of bottom floor (including basement, crawls) Top of the next higher floor Bottom of the lowest horizontal structural menus Attached garage (top of stab) Lowest elevation of machinery or equipment se (Describe type of equipment and location in College.)	LDING ELEVATION OF THE PROPERTY OF THE PROPERT	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF same datum as the B Vertical Date e floor)	N (SURVEY r Construction R/AE, AR/A1-A IFE. atum Check the feet feet feet feet	REQUIRE 30, AR/AH measurem mete mete mete	Finished Construction AR/AO. Complete Items C2.a-h soft used. Is (Puerto Rico only)
1. B3 *A bb be Cc a) b) d) e)	SECTION C - Bull SECTION C - Bull SECTION C - Bull SECTION C - Bull Didging elevations are based on: A new Elevation Certificate will be required when collevations Zones A1-A30, AE, AH, A (with BFE), Velow according to the building diagram specified in enchmark Utilized Conversion/Comments Top of bottom floor (including basement, crawls) Top of the next higher floor Bottom of the lowest horizontal structural menus Attached garage (top of stab) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Collowest adjacent (finished) grade next to buildin	tes System (CBR: LDING ELEVA In Drawings* Instruction of the VE, V1-V30, V (will litern A7. Use the space, or enclosure out (V Zones only invicing the building ments) g (LAG)	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF same datum as the B Vertical Date e floor)	N (SURVEY r Construction R/AE, AR/A1-A IFE. Check the feet feet feet feet feet feet	REQUIRE 30, AR/AH. measurem mete mete mete	Finished Construction AR/AO. Complete Items C2.a-h soft used. Is (Puerto Rico only)
1. Bt *A *A *B	SECTION C - Building located in a Coastal Barrier Resource Designation Date. SECTION C - Building elevations are based on: A new Elevation Certificate will be required when coallevations - Zones A1-A30, AE, AH, A (with BFE), lebow according to the building diagram specified in enchmark Utilized conversion/Comments Top of bottom floor (including basement, crawls) Top of the next higher floor Bottom of the lowest horizontal structural menual Attached garage (top of slab) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Coalcometric finished) grade next to building Highest adjacent (finished) grade next to building Lowest adjacent grade at lowest elevation of describe type of equipment and location in Coalcometric finished grade next to building the comment of the	tes System (CBR: LDING ELEVAT In Drawings* Instruction of the VE, V1-V30, V (will litern A7. Use the space, or enclosure (V Zones only invicing the building mments) In (LAG) In (HAG)	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE). AR, AR/A, AF a same datum as the B Vertical Da re floor)	N (SURVEY r Construction R/AE, AR/A1-A IFE. atum Check the feet feet feet feet	REQUIRE 30, AR/AH. measurem mete mete mete mete	Finished Construction AR/AO. Complete Items C2.a-h soft used. Is (Puerto Rico only)
1. B3 *A 6 c2 Eich b6 c3 (b) c1 (d) e1 (f) g)	Is the building located in a Coastal Barrier Resource Designation Date	LDING ELEVAT In Drawings* Instruction of the VE, V1-V30, V (willem A7. Use the Instruction of the VE, V1-V30, V (willem A7. Use the Instruction of the VE, V1-V30, V (willem A7. Use the Instruction of the VE, V1-V30, V (willem A7. Use the Instruction of the VE, V1-V30, V (willem A7. Use the Instruction of the VE, V1-V30, V (willem A7. Use the Instruction of the VE, V1-V30, V (willem A7. Use the Instruction of the VE, V1-V30, V (willem A7. Use the Instruction of the V1-V30, V (willem A7. Use the Instruction of the V1-V30, V (willem A7. Use t	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF e same datum as the B Vertical Da vertical Da ding	N (SURVEY r Construction R/AE, AR/A1-A FE. aturn Check the feet	REQUIRE 30, AR/AH measurem mete mete mete mete mete	Finished Construction AR/AO. Complete Items C2.a-h sor-Used. rs (Puerto Rico only)
1. B3 *A Eb be Be C2 (a) b) c) d) d) h)	Is the building located in a Coastal Barrier Resource Designation Date. SECTION C - Build Discipling elevations are based on: Construction in the control of the country of the country of the building diagram specified in enchmark Utilized onversion/Comments Top of bottom floor (including basement, crawls) on the next higher floor Bottom of the lowest horizontal structural menual Attached garage (top of slab) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Country of the lowest adjacent (finished) grade next to building towest adjacent (finished) grade next to building between the country of the lowest adjacent (finished) grade next to building the country of the structural support.	tes System (CBR: LDING ELEVAT In Drawings* Instruction of the VE, V1-V30, V (will litern A7. Use the space, or enclosur per (V Zones only invicing the building minents) g (LAG) ng (HAG) ng (HAG) ng (HAG) reck or stairs, inclusively invicing the part (V Zones only invicing the building (LAG) ng (HAG)	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE). AR, AR/A, AF a same datum as the B Vertical Da ding INEER, OR ARSHI	N (SURVEY r Construction VAE, AR/A1-A FE. aturn Check the feet TECT CERT	REQUIRE 30, AR/AH. measurem mete mete mete mete mete	Finished Construction AR/AO. Complete Items C2.a-h AR/AO. Complete Items C2.a-h Specified. Items (Puerto Rico only) Items (Puerto Rico only)
1. Bt. 2. Eleber Cc (a) (b) (c) (d) (e) (f) (g) (h)	SECTION C - BUILD SECTION C -	LDING ELEVATOR DISSESSIVE CORRECTION OF THE CONTROL OF THE CORRECTION OF THE CORRECT	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF same datum as the B Vertical Da Vertical Da Vertical to a complete or architect authorized of the set of forts to interpret	Check the feet feet feet feet feet feet feet	REQUIRE 30, AR/AH measurem mete mete mete mete mete mete mete tify elevation witable.	Finished Construction AR/AO. Complete Items C2.a-h AR/AO. Complete Items C2.a-h Specified. Items (Puerto Rico only) Items (Puerto Rico only)
11. BR 22. Ebb Be C2 (a) (b) (c) (d) (e) (f) (g) (h)	SECTION C - Bull Construction A new Elevation Certificate will be required when concern to the second of the	LDING ELEVATOR DISSESSIVE CORRECTION OF THE CONTROL OF THE CORRECTION OF THE CORRECT	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF same datum as the B Vertical Da Vertical Da Vertical to a complete or architect authorized of the set of forts to interpret	Check the feet feet feet feet feet feet feet	REQUIRE 30, AR/AH measurem mete mete mete mete mete mete mete tify elevation witable.	Finished Construction AR/AO. Complete Items C2.a-h AR/AO. Complete Items C2.a-h Specified. Items (Puerto Rico only) Items (Puerto Rico only)
1. Bit A Section 1. Bit	SECTION C - BUILD SECTION C -	LDING ELEVAT In Drawings* construction of the VE, V1-V30, V (willem A7. Use the space, or enclosur over (V Zones only prividing the building (LAG) and (HAG) ack or stairs, inclusively engineer at represents mile by fine or imprise the fine or im	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF a same datum as the B Vertical Da Vertical Da Vertical Da INEER, OR ARCHI or architect authorize best efforts to interpresonment under 18 U.S. titude and longitude in	Check the feet feet feet feet feet feet feet	REQUIRE 30, AR/AH. measurem mete mete mete mete mete mete mete tify elevation wided by a	Finished Construction AR/AO. Complete Items C2.a-h AR/AO. Complete Items C2.a-h Specified. Items (Puerto Rico only) Items (Puerto Rico only)
1. Bit A Section 1. Bit	SECTION C - Bull Construction A new Elevation Certificate will be required when contend to the building diagram specified in enchmark Utilized conversion/Comments Top of bottom floor (including basement, crawls) Top of the next higher floor Bottom of the lowest horizontal structural menor Attached garage (top of stab) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Contend to building the structural support (finished) grade next to building the structural support SECTION D - SU Certification is to be signed and sealed by a land structural that any false statement may be punished to structural that any false statement may be punished.	LDING ELEVAT In Drawings* construction of the VE, V1-V30, V (willem A7. Use the space, or enclosur over (V Zones only prividing the building (LAG) and (HAG) ack or stairs, inclusively engineer at represents mile by fine or imprise the fine or im	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF a same datum as the B Vertical Da Vertical Da Vertical Da INEER, OR ARCHI or architect authorize best efforts to interpresonment under 18 U.S. titude and longitude in	Check the feet feet feet feet feet feet feet	REQUIRE 30, AR/AH. measurem mete mete mete mete mete mete mete tify elevation ilable, n 1001.	Finished Construction AR/AO. Complete Items C2.a-h AR/AO. Complete Items C2.a-h Reprused. Its (Puerto Rico only)
I. Bi. S. Eliber Be C. (a) b) c) d) d) e) f)	SECTION C - Bull Construction A new Elevation Certificate will be required when contend to the building diagram specified in enchmark Utilized conversion/Comments Top of bottom floor (including basement, crawls) Top of the next higher floor Bottom of the lowest horizontal structural menor Attached garage (top of stab) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Contend to building the structural support (finished) grade next to building the structural support SECTION D - SU Certification is to be signed and sealed by a land structural that any false statement may be punished to structural that any false statement may be punished.	LDING ELEVAT In Drawings* construction of the VE, V1-V30, V (willem A7. Use the space, or enclosur over (V Zones only prividing the building (LAG) and (HAG) ack or stairs, inclusively engineer at represents mile by fine or imprise the fine or im	S) area or Otherwise P CBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF a same datum as the B Vertical Da Vertical Da Vertical Da INEER, OR ARCHI or architect authorize best efforts to interpresonment under 18 U.S. titude and longitude in	Check the feet feet feet feet feet feet feet	REQUIRE 30, AR/AH. measurem mete mete mete mete mete mete mete tify elevation wided by a	Finished Construction AR/AO. Complete Items C2.a-h Specused. Is (Puerto Rico only)
I. Bi. S. Eliber Be C. (a) b) c) d) d) e) f)	SECTION C - Building located in a Coastal Barrier Resource Designation Date. SECTION C - Building elevations are based on: A new Elevation Certificate will be required when coallevations - Zones A1-A30, AE, AH, A (with BFE), lebow according to the building diagram specified in enchmark Utilized conversion/Comments Top of bottom floor (including basement, crawls) - Top of the next higher floor Bottom of the lowest horizontal structural menul Attached garage (top of slab) Lowest elevation of machinery or equipment se (Describe type of equipment and location in Coalcometric topic type of equipment and location in Coalcometric	LDING ELEVATOR Drawings* onstruction of the VE, V1-V30, V (willern A7. Use the page, or enclosure of (V Zones only invicing the buildingments) of (HAG) and (HAG) and (HAG) arreyor engineer at a fapresents may be fine or imprism. Were la licensed	S) area or Otherwise PCBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF a same datum as the B Vertical Da Wertical Da Wertical Da INEER, OR ARSHI or architect authorize somment under 18 U.S. titude and longitude in t land surveyor?	Check the feet feet feet feet feet feet feet	REQUIRE 30, AR/AH. measurem mete mete mete mete mete mete mete tify elevation wided by a	Finished Construction AR/AO. Complete Items C2.a-h AR/AO. Complete Items C2.a-h Reprused. Its (Puerto Rico only)
I. Bi. Selber Be Cx a) b) c) d) d) e) h) Fhis c Centific Centific Cities Can be conformed as a conformation of the conformati	SECTION C - Building elevations are based on: Construction Construction	LDING ELEVATOR Drawings* onstruction of the VE, V1-V30, V (willern A7. Use the page, or enclosure of (V Zones only invicing the buildingments) of (HAG) and (HAG) and (HAG) arreyor engineer at a fapresents may be fine or imprism. Were la licensed	S) area or Otherwise PCBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF a same datum as the B Vertical Da Wertical Da INEER, OR ARSHI or architect authorize somment under 18 U.S. License Numb	Check the feet feet feet feet feet feet feet	REQUIRE 30, AR/AH. 30, AR/AH. measurem mete mete mete mete mete mete mete m	Finished Construction AR/AO. Complete Items C2.a-h AR/AO. Complete Items C2.a-h Reprused. Its (Puerto Rico only)
BRE Be Cc a) b) c) d) h) his conformunde C C continue C C c continue C C c c c c c c c c c c c c c c c c c	SECTION C - Building elevations are based on: Construction Construction	LDING ELEVATOR Drawings* onstruction of the VE, V1-V30, V (willern A7. Use the page, or enclosure of (V Zones only invicing the buildingments) of (HAG) and (HAG) and (HAG) arreyor engineer at a fapresents may be fine or imprism. Were la licensed	S) area or Otherwise PCBRS OPA FION INFORMATIO Building Under building is complete. th BFE), AR, AR/A, AF a same datum as the B Vertical Da Wertical Da Wertical Da INEER, OR ARSHI or architect authorize somment under 18 U.S. titude and longitude in t land surveyor?	Check the feet feet feet feet feet feet feet	REQUIRE 30, AR/AH. 30, AR/AH. measurem mete mete mete mete mete mete mete m	Finished Construction AR/AO. Complete Items C2.a-h AR/AO. Complete Items C2.a-h Reprused. Its (Puerto Rico only)

MPORTANT: IT these spaces	, copy the corresponding information	n from Section A.	For Insurance Company Use:
	Lunit, Suite, and/or Bldg. No.) or P.O. Ro		Policy Number
ity	State	ZIP Code	Company NAIC Number
SECTK	N D - SURVEYOR, ENGINEER, OR	RELITECT CERTIFICATION	(CONTINUED)
ppy both sides of this Elevation Ce	rtificate for (1) community officier, (2) insura	nce agent/company, and (3) building	ng owner.
omments			
gnature		Date	Check here if attachments
SECTION E - BUILDING EL	EVATION INFORMATION (SURVEY	NOT REQUIRED) FOR ZONE	AO AND ZONE A (WITHOUT BFE)
pd C. For Items E1-E4, use nature E1. Provide elevation information grade (HAG) and the lowest a a) Top of bottom floor (includib) Top of bottom floor (includication) Top of bottom floor (includib) Top of Building Diagrams 8-9 with (elevation C2-b in the diagram Attached garage (top of slab) Top of platform of machinery Zone AO only: If no flood dep	ng basement, crawispace, or enclosure) is ng basement, crawispace, or enclosure) is h permanent flood openings provided in Secusion of the building is	pri used. In Puerto Rico only, enter boxes to show whether the elevation of the control of the c	meters. In is above or below the highest adjacent Dabove or below the HAG. above or below the LAG. s 8-9 of Instructions), the next higher floor below the HAG.
	ON F - PROPERTY OWNER (OR OW		ERTIFICATION
			a FEMA-issued or community-issued BFE)
r Zone AO must sign nere. The stroperty Owner's Autho	stements in Sections A. B. and E are correctized Representative's Name	a to the dest of my knowledge.	
<u>Heith G Gunter</u> Address	(City St	ate ZIP Code
	slaved Rd Galivant		29544 elephone
ignature			848)=333-4910
comments			11 1 at lateral
Vo Alcatthist	me per ouner luir	clay unit to be	1115/4/12 Check here if attachmen
	SECTION G - COMMUNITY	INFORMATION (OPTIONAL)	
local official who is authorized by	law or ordinance to administer the commu- omplete the applicable item(s) and sign bel	nity's floodplain management ording. Check the measurement used	ance can complete Sections (B, C (or E), in Items G8 and G9.
	C was taken from other documentation that ify elevation information. (Indicate the sour eted Section E for a building located in Zon Items G4-G9) is provided for community flo	has been signed and sealed by a ce and date of the elevation data in the A (without a FEMA-issued or condplain management purposes.)	licensed surveyor Engineer, or architect who the Comments area below.) Innunity (ssued BFE) or Zone AO.
34. Permit Number	G5. Date Permit Issued	G6. Date Certificate O	f Compliance/Occupancy Issued
. This permit has been issued for		ial Improvement	
	r (including basement) of the building		sters (PR) Datum
 BFE or (in Zone AO) depth of fi 0. Community's design flood eleve 		_ = =	eters (PR) Datum
ocal Official's Name		Title	
ommunity Name		Telephone	
ignature		Date	
Comments			
			Check here if attachme