

ELEVATION CERTIFICATE

OMB No. 1660-0008
Expires March 31, 2012

Important: Read the instructions on pages 1-9.

SECTION A - PROPERTY INFORMATION

A1. Building Owner's Name Skipper Land + Timber

A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.
403 Black Island Rd

City Aynoh State SC ZIP Code 29504

A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)
Lot 1 Black Island Sub.

A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)

A5. Latitude/Longitude: Lat. _____ Long. _____ Horizontal Datum: NAD 1927 NAD 1983

A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.

A7. Building Diagram Number 62

A8. For a building with a crawlspace or enclosure(s):
a) Square footage of crawlspace or enclosure(s) 1008 sq ft
b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade 5
c) Total net area of flood openings in A8.b 2532 sq in
d) Engineered flood openings? Yes No

A9. For a building with an attached garage:
a) Square footage of attached garage _____ sq ft
b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade _____
c) Total net area of flood openings in A9.b _____ sq in
d) Engineered flood openings? Yes No

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number 450104

B2. County Name Morry

B3. State SC

B4. Map/Panel Number <u>450104/C0300</u>	B5. Suffix <u>H</u>	B6. FIRM Index Date <u>9-17-03</u>	B7. FIRM Panel Effective/Revised Date <u>9-23-95</u>	B8. Flood Zone(s) <u>A</u>	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) <u>Undetermined</u>
---	------------------------	---------------------------------------	---	-------------------------------	--

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.
 FIS Profile FIRM Community Determined Other (Describe) _____

B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) _____

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?
Designation Date _____ CBRS OPA Yes No

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction

*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. Use the same datum as the BFE.

Benchmark Utilized _____ Vertical Datum _____

Conversion/Comments _____

Check the measurement used.

a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	_____ feet	<input type="checkbox"/> meters (Puerto Rico only)
b) Top of the next higher floor	_____ feet	<input type="checkbox"/> meters (Puerto Rico only)
c) Bottom of the lowest horizontal structural member (V Zones only)	_____ feet	<input type="checkbox"/> meters (Puerto Rico only)
d) Attached garage (top of slab)	_____ feet	<input type="checkbox"/> meters (Puerto Rico only)
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	_____ feet	<input type="checkbox"/> meters (Puerto Rico only)
f) Lowest adjacent (finished) grade next to building (LAG)	_____ feet	<input type="checkbox"/> meters (Puerto Rico only)
g) Highest adjacent (finished) grade next to building (HAG)	_____ feet	<input type="checkbox"/> meters (Puerto Rico only)
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	_____ feet	<input type="checkbox"/> meters (Puerto Rico only)

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No

Certifier's Name _____ License Number _____

Title _____ Company Name _____

Address _____ City _____ State _____ ZIP Code _____

Signature _____ Date _____ Telephone _____

PLACE SEAL HERE

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

City

State

ZIP Code

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments

Signature

Date

Check here if attachments

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
 - a) Top of bottom floor (including basement, crawlspace, or enclosure) is 26 feet meters above or below the HAG.
 - b) Top of bottom floor (including basement, crawlspace, or enclosure) is feet meters above or below the LAG.
- E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of instructions), the next higher floor (elevation C2.b in the diagrams) of the building is feet meters above or below the HAG.
- E3. Attached garage (top of slab) is NA feet meters above or below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is 24 feet meters above or below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner's or Owner's Authorized Representative's Name

GRABY M. GORDON

Address

1784 DUNN AVE. PH.

City

CONOMY

State

SC

ZIP Code

29026

Signature

Grabby M. Gordon

Date

12-13-11

Telephone

843-397-3222

Comments

Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.

- G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Compliance/Occupancy Issued
-------------------	------------------------	---

- G7. This permit has been issued for: New Construction Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building feet meters (PR) Datum
- G9. BFE or (in Zone AO) depth of flooding at the building site feet meters (PR) Datum
- G10. Community's design flood elevation feet meters (PR) Datum

Local Official's Name _____ Title _____

Community Name _____ Telephone _____

Signature _____ Date _____

Comments _____

Check here if attachments

M. C. K. O. Y
843-458-6561

Certification of Engineered Flood Openings (TB 1 – August 2008)

I do hereby certify that the CRAWLSPACE FEMA FLOOD LOUVER, Patent No. US D583,042, dated December 16, 2008 and owned by Crawl Space Door Systems, Inc. properly installed and sized in accordance with Federal Emergency Management Agency's National Flood Program regulations (44 CFR 60.3(c)(5)) and National Flood Insurance Program, Technical Bulletin (TB) 1-August 2008 is designed to automatically equalize hydrostatic flood forces on exterior walls by allowing for entry and exit of floodwater during floods up to and including the base (100-year) flood.

I also do hereby certify that I calculated the Non-Engineered, Net-Free Air and Engineered Opening size for each model and size of the Flood Louvers. The results of the calculations are recorded in the table below. The Engineered size opening calculation was performed by using the formula in TB 1 – August 2008, Openings in Foundation Walls for Buildings Located in Special Flood Hazard Areas in accordance with the National Flood Insurance Program and ASCE/SEI 24-05, Flood Resistance Design and Construction. I measured the size of each flood louver and the size of all obstructions to determine the Non-Engineered and Net-Free Air opening size for each model. I used the formula ($A^o = 0.033 [1/C] RA^e$) in TB 1 – Aug 2008 to determine the Engineered opening size for each model. I used the following assumptions: A^o = total net area of openings required (in²); 0.033 = coefficient corresponding to a factor of safety of 5.0 (in² · hr/ft³); c = 0.40 opening coefficient (ASCE 24 Table 2-2 "rectangular, long axis horizontal, short axis vertical unobstructed during design flood", c = 0.35 opening coefficient square; there is an unobstructed rectangular shape between the louvers); R = 5 ft/hr worst case rate of rise and fall; and A^e = total enclosed area.

$A^o/A^e = 0.033[1/C]R = 0.033[1/0.40]5 = 0.4125 \text{ in}^2 \text{ per ft}^2 \text{ enclosed area}$

Example: D0816 = $95 \text{ in}^2 / 0.4125 \text{ in}^2 \text{ per ft}^2 = 230 \text{ ft}^2$

Model #	Size (HXW)	Non-Engineered (Sq. Inches)	Net-Free Air (Sq. Inches)	Engineered (Sq. Inches)
D0816	8" x 16"	128	95	230
D1220	12" x 20"	240	175	424
D1232	12" x 32"	384	290	703
D1616	16" x 16"	256	200	424
D1624	16" x 24"	384	285	691
D1632	16" x 32"	512	385	933
D2032	20" x 32"	640	505	1,224
D2424	24" x 24"	576	435	923
D2436	24" x 36"	864	665	1,612

Installation Limitations and Instructions

Each individual opening, and any louvers, screens, or other covers, shall be designed to allow automatic entry and exit of floodwaters during design flood or lesser flood conditions; there shall be a minimum of two openings on different sides of each enclosed area; if a structure has more than one enclosed area below the DFE, each area shall have openings; openings shall not be less than 3 inches in any direction in the plane of the wall; the bottom of each required opening shall be no more than 1 ft above the adjacent ground level; the difference between the exterior and interior floodwater levels shall not exceed 1 ft during base flood conditions; in the absence of reliable data on the rates of rise and fall, assume a minimum rate of rise and fall of 5 ft/h; where data or analysis indicates more rapid rates of rise and fall, the total net area of the required opening shall be increased to account for the higher rates of rise and fall.


Name: Richard Broad, III

Company: Richard Broad, III, P.E.

Address: 13445 Shiloh Drive, Windsor, VA 23487

License: Professional Engineer; Virginia; No. 034484

Signature: Richard Broad III Date: 5/25/2011



Horry County Code Enforcement

1301 2nd Ave Suite 1D09
Conway, SC 29526



Phone: (843) 915-5090
(843) 205-5090

Fax: (843) 915-6090

Permit 15023

MEMO OF REVIEW FOR CORRECTNESS AND COMPLETION

In accordance with this community's participation in the National Flood Insurance Program's Community Rating System, all FEMA Elevation Certificates must be correct and complete. The attached Certificate has some incorrect items which are noted here.

SECTION A - PROPERTY INFORMATION		For Insurance Company U
A1. Building Owner's Name <i>Skippers Land Timber</i>		Policy Number
A2. Building Street Address (including A.P., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. <i>4203 Black Island Rd</i>		Company NAIC Number
City <i>Amherst</i> State <i>SC</i> ZIP Code <i>29526</i>		
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) <i>10911701001</i>		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) _____		
A5. Latitude/Longitude: Lat. _____ Long. _____		Horizontal Datum: <input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.		
A7. Building Diagram Number <i>8</i>		
A8. For a building with a crawl space or enclosure(s), provide		A9. For a building with an attached garage, provide: <i>NA</i>
a) Square footage of crawl space or enclosure(s) _____ sq ft		a) Square footage of attached garage _____
b) No. of permanent flood openings in the crawl space or enclosure(s) walls within 1.0 foot above adjacent grade _____		b) No. of permanent flood openings in the attached garage walls within 1.0 foot above adjacent grade _____
c) Total net area of flood openings in A8.b _____ sq in		c) Total net area of flood openings in A9.b _____
d) Engineered flood openings? <input type="checkbox"/> Yes <input type="checkbox"/> No		d) Engineered flood openings? <input type="checkbox"/> Yes <input type="checkbox"/> No

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
B1. NFIP Community Name & Community Number		B2. County Name		B3. State	
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	B7. FIRM Panel Effective/Revised Date	B8. Flood Zone(s)	B9. Base Flood Elevation (use base flood de
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. <input type="checkbox"/> FIS Profile <input type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other (Describe) _____					
B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD 1929 <input type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input type="checkbox"/> No Designation Date _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA					

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)			
C1. Building elevations are based on: <input type="checkbox"/> Construction Drawings* <input type="checkbox"/> Building Under Construction* <input type="checkbox"/> Finished Construction			
*A new Elevation Certificate will be required when construction of the building is complete.			
C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. Benchmark Utilized _____ Vertical Datum _____			
Indicate elevation datum used for the elevations in items a) through h) below. <input type="checkbox"/> NGVD 1929 <input type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other/Source: _____			

COMMENTS: *A9 Incomplete*

Date of Review: *2-23-15* Community Official: *Michael Oden*

All elevation certificates shall be maintained by the community and copies with the attached memo made available upon request.